

Natural Resources Conservation Service

Arizona Basin Outlook Report January 1, 2004



ARIZONA

Water Supply Outlook Report as of January 1, 2004

A full range of Snow Survey and Water Supply Forecasting products is available on the Arizona NRCS Home Page:

Snow Survey Program

http://www.az.nrcs.usda.gov/snow/index.html

Helpful Internet Sites

Defending Against Drought - NRCS

http://www.nrcs.usda.gov/feature/highlights/drought.html

• Ideas on water, land, and crop management for you to consider while creating your drought plan.

Arizona Agri-Weekly

http://www.nass.usda.gov/az/cur-agwk.pdf

 Provides an overview of Arizona's crop, livestock, range and pasture conditions as reported by local staffs of the USDA's Agricultural Statistic Service and University of Arizona, College of Agriculture.

SUMMARY

Surface water supplies will be short this year if current weather patterns hold. In that regard, recent snow survey measurements confirm that snowpack levels in key river basins are well below the 30-yr. average for this time of year. More snow is needed.


SNOWPACK

Watershed	Percent (%) of 30-Yr. Average Snowpack Levels as of
watersned	January 1
Salt River Basin	41%
Verde River Basin	45%
Little Colorado River Basin	33%
San Francisco-Upper Gila River Basin	26%
Other Points of Interest	
Chuska Mountains	61%
Central Mogollon Rim	35%
Grand Canyon	24%
San Francisco Peaks	48%
Statewide Snowpack	41%

PRECIPITATION

Mountain data, from NRCS SNOTEL sites, show that seasonal precipitation catch is well below normal. Please refer to precipitation bar graphs found in this report for more information.

RESERVOIR



Key storage volumes displayed in thousands of acre-feet (1000 \times):

	CURRENT	LAST YEAR	30-YEAR
RESERVOIR	STORAGE	STORAGE	AVERAGE
Lyman Lake	2.0	2.1	14.1
Show Low Lake	3.1	1.9	3.1
Lake Pleasant	427.9	334.5	
Lake Havasu	516.2	546.7	556.4
Lake Mohave	1590.3	1678.8	1596.6
Lake Powell	11487.0	13774.0	18933.0
Lake Mead	15300.0	16718.0	21775.0
Salt River System	832.5	545.5	1155.5
Verde River System	113.0	62.8	137.0
San Carlos Reservoir	27.3	36.7	379.1

STREAMFLOW


The long range forecast calls for below normal runoff this season as the result of poor snowpack conditions in the high country. Please refer to the basin forecast tables found in this report for more information.




SALT RIVER BASIN as of January 1, 2004

Well below median streamflow levels are forecast for the basin. In the Salt River, near Roosevelt, the forecast calls for 43 % of median streamflow levels through MAY, while at Tonto Creek, the forecast calls for 45 % of median streamflow levels through MAY.

Additionally, snow survey measurements show the Salt snowpack to be 41 % of the 30-year average, while combined reservoir storage in the Salt River system was reported at 832,508 acrefeet.





SALT RIVER BASIN Streamflow Forecasts - January 1, 2004

=========			.=======				
	<=== Dr	ier ===	Future Co	onditions	=== Wett	er ===>	
	I					i	
Forecast Pt	======		Chance of I	Exceeding *			
Forecast	90%	70%	50% (Mos	st Prob)	30%	10%	30 Yr Med
Period	(1000AF)	(1000AF)	(1000AF)	(% MED.) (1000AF)	(1000AF)	(1000AF)
=========		=======			======	=======	========
Salt River no	r Roosevel	.t					
JAN-MAY	50	108	165	43	240	387	385
JANUARY	1.3	5.8	12.0	49	21	43	25
Tonto Creek a	ab Gun Cre	ek nr Roc	sevelt				
JAN-MAY	2.4	11.9	25	45	45	92	56
JANUARY	0.29	0.41	0.50	9	3.34	12.08	5.90

The average and median are computed for the 1971-2000 base period.

- (1) The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) The value is natural volume actual volume may be affected by upstream water management.

SALT RIVER BASIN

Reservoir Storage (1000AF) End of December

Reservoir	Usable	********	Usable Storage	*******
	Capacity	This Year	Last Year	Average
SALT RIVER RES SYSTEM	2025.8	832.5	545.5	1155.5

SALT RIVER BASIN


Watershed	Number of	This Year as I	Percent of
	Data Sites	Last Year	Average
SALT RIVER BASIN	7	47	41


^{* 90%, 70%, 30%,} and 10% chances of exceeding are the probabilities that the actual volume will exceed the volumes in the table.

VERDE RIVER BASIN as of January 1, 2004

Well below median streamflow levels are forecast for the basin. In the Verde River, at Horseshoe Dam, the forecast calls for 57 % of median streamflow levels through MAY.

Furthermore, snow survey measurements show the Verde snowpack to be 45 % of the 30-year average, while combined reservoir storage on the Verde River system stands at 113,024 acre-feet.





VERDE RIVER BASIN

Streamflow Forecasts - January 1, 2004

=========							
	<=== Dr	ier === 1	Future C	onditions	=== Wett	er ===>	
	İ					ĺ	
Forecast Pt	======	====== C	hance of	Exceeding	* ======	======	
Forecast	90%	70%	50% (Mo	st Prob)	30%	10%	30 Yr Med
Period	(1000AF)	(1000AF)	(1000AF)	(% MED.)	(1000AF)	(1000AF)	(1000AF)
Verde River	aby Horses	hoe Dam		======		=======	
JAN-MAY	35	80	125	57	185	304	220
JANUARY	2.3	8.0	15.0	63	25	47	24

^{* 90%, 70%, 30%,} and 10% chances of exceeding are the probabilities that the

The average and median are computed for the 1971-2000 base period.

- (1) The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) The value is natural volume actual volume may be affected by upstream water management.

VERDE RIVER BASIN

Reservoir Storage (1000AF) End of December

Reservoir	Usable	********	Usable Storage	*******
	Capacity	This Year	Last Year	Average
VERDE RIVER RES SYSTEM	287.4	113.0	62.8	137.0

VERDE RIVER BASIN


Watershed	Number of	This Year as P	ercent of
	Data Sites	Last Year	Average
VERDE RIVER BASIN SAN FRANCISCO PEAKS	10	49	45
	3	64	48


actual volume will exceed the volumes in the table.

SAN FRANCISCO-UPPER GILA RIVER BASIN as of January 1, 2004

Well below median streamflow levels are forecast for the basin. In the San Francisco River, at Clifton, the forecast calls for 51 % of median streamflow levels through MAY, while in the Gila River, near Solomon, the forecast calls for 27 % of median streamflow levels through MAY. At San Carlos Reservoir, inflow into the lake is forecast at 23 % of median through MAY.

At San Carlos, reservoir storage stands at 27,383 acre-feet, while measurements show snowpack levels to be at 26 % of the 30-year average.





SAN FRANCISCO - UPPER GILA RIVER BASIN Streamflow Forecasts - January 1, 2004

=========							
1	<=== Dr	ier ===	Future Co	onditions	=== Wett	er ===>	
1						I	
Forecast Pt	======	===== C	hance of I	Exceeding '	* ======		
Forecast	90%	70%	50% (Mos	st Prob)	30%	10%	30 Yr Med
Period	(1000AF)	(1000AF)	(1000AF)	(% MED.)	(1000AF)	(1000AF)	(1000AF)
Gila River at	====== Gila						
JAN-MAY	15.0	19.9	27	45	36	52	60
Gila River nr	Virden						
JAN-MAY	13.3	16.6	30	36	54	89	83
San Francisco	River at	Glenwood	l				
JAN-MAY	7.2	10.9	14.0	52	17.7	24	27
San Francisco	River at	Clifton					
JAN-MAY	11.9	24	36	51	61	97	70
JAN-MAI	11.9	24	36	51	91	91	70
Gila River nr	Solomon						
JAN-MAY	25	54	45	27	106	197	165
JANUARY			9.0	46			19.7
San Carlos Re	servoir i	nflow					
JAN-MAY	6.7	13.4	22	23	65	128	96

^{* 90%, 70%, 30%,} and 10% chances of exceeding are the probabilities that the actual volume will exceed the volumes in the table.

The average and median are computed for the 1971-2000 base period.

- (1) The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) The value is natural volume actual volume may be affected by upstream water management.

SAN FRANCISCO - UPPER GILA RIVER BASIN Reservoir Storage (1000AF) End of December

Reservoir		Usable Capacity	********* This Year	Usable Storage Last Year	******* Average	=
	SAN CARLOS	875.0	27.3	36.7	379.1	=
	DATNITED DOCK DAM	2492 0	0 0	0 0	47 A	


SAN FRANCISCO - UPPER GILA RIVER BASIN Watershed Snowpack Analysis - January 1, 2004


Watershed	Number of Data Sites	This Year as F Last Year	Percent of Average
SAN FRANCISCO - UPPER GILA R	11	33	26

LITTLE COLORADO RIVER BASIN as of January 1, 2004

Well below median streamflow levels are forecast for the basin. In the Little Colorado River, at Lyman Lake, the forecast calls for 57 % of median streamflow levels through JUNE, while at Woodruff, the forecast calls for 58 % of median streamflow levels through MAY.

Additionally, snowpacks along the southern headwaters of the Little Colorado River, and along the central Mogollon Rim, were measured at 33 % and 35 % of the 30-year average, respectively.





LITTLE COLORADO RIVER BASIN Streamflow Forecasts - January 1, 2004

========	========= <=== Dr 	====== ier ===	Future Co	nditions	=== Wett	er ===> 	=======
Forecast Pt	 ======	====== (Chance of E	xceeding '	+ ======	======	
Forecast	90%	70%	50% (Mos	t Prob)	30%	10%	30 Yr Med
Period	(1000AF)	(1000AF)	(1000AF)	(% MED.)	(1000AF)	(1000AF)	(1000AF)
Little Color	ado River	abv Lymar	Lake				
JAN-JUN	0.97	2.52	4.20	57	6.49	11.20	7.40
Rio Nutria n	r Damah						
JAN-MAY		0.31	1.40	45	5.00	8.70	3.10
Ramah Reserv	oir inflow						
JAN-MAY	0.09	0.17	0.77	45	2.87	6.07	1.71
Zuni River a	bv Black R	ock Reser	voir				
JAN-MAY	0.37	0.65	0.90	61	1.21	1.79	1.48
Little Color	ada Dissan	at Maadau	.ee				
	0.47		2.10	58	3.20	5.40	3.60
JAN-MAY	0.47	0.72	2.10	58	3.20	5.40	3.60
Blue Ridge R	eservoir i	nflow					
JAN-MAY	1.5	4.7	8.0	47	12.1	19.7	17.1
Lake Mary in	flow						
JAN-MAY	0.87	1.47	2.00	40	2.64	3.83	5.00

^{* 90%, 70%, 30%,} and 10% chances of exceeding are the probabilities that the actual volume will exceed the volumes in the table.

The average and median are computed for the 1971-2000 base period.

- (1) The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) The value is natural volume actual volume may be affected by upstream water management.

LITTLE COLORADO RIVER BASIN Reservoir Storage (1000AF) End of December

Reservoir	Usable	*********	Usable Storage	*******
	Capacity	This Year	Last Year	Average
LYMAN RESERVOIR	30.0	2.0	2.1	14.1
SHOW LOW LAKE	5.1	3.1	1.9	3.1


LITTLE COLORADO RIVER BASIN Watershed Snowpack Analysis - January 1, 2004


			=
	Number of	This Year as Percent of	
Watershed	Data Sites	Last Year Average	
			=

LITTLE COLORADO - SOUTHERN H 7 35 33 CENTRAL MOGOLLON RIM 4 41 35

CHUSKA MOUNTAINS as of January 1, 2004

Snow survey measurements conducted by staff of the Navajo Tribe show the Chuska snowpack to be 61 % of average, while well below average runoff is forecast for Captain Tom Wash, Wheatfields Creek, and Bowl Canyon Creek.





CHUSKA MOUNTAINS

Streamflow Forecasts - January 1, 2004

	<=== Dr	ier ===	Future Con	nditions	=== Wett	er ===>	
	1		~	•		!	
Forecast Pt	======	====== (Chance of Ex	ceeding	* ======	======	
Forecast	90%	70%	50% (Most	: Prob)	30%	10%	30 Yr Avg
Period	(1000AF)	(1000AF)	(1000AF)	(% AVG.)	(1000AF)	(1000AF)	(1000AF)
Captain Tom	 Wash nr Tw	o Gray Hi	 ills				
MAR-MAY	0.33	0.53	1.25	44	2.95	5.55	2.83
Wheatfields	Creek nr W	heatfield	is				
MAR-MAY	0.34	0.54	1.25	43	3.05	5.65	2.90
Bowl Canyon	Creek abv	Assayi La	ake				
MAR-MAY	0.11	0.18	0.43	43	1.04	1.90	1.00

^{* 90%, 70%, 30%,} and 10% chances of exceeding are the probabilities that the actual volume will exceed the volumes in the table.

The average is computed for the 1971-2000 base period.

- (1) The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) The value is natural volume actual volume may be affected by upstream water management.


CHUSKA MOUNTAINS


Watershed	Number of	This Year as Pe	rcent of
	Data Sites	Last Year	Average
CHUSKA MOUNTAINS	7	66	61
DEFIANCE PLATEAU	2	90	69

NORTHWESTERN ARIZONA as of January 1, 2004

On the Colorado River, inflow into Lake Powell is forecast at 90 % of the 30-year average APR-JULY, while at Littlefield, the Virgin River is forecast at 91 % of the 30-year average.

At the Grand Canyon, measurements conducted by the National Park Service show the snowpack to be at 24 % of the 30-year average.





NORTHWESTERN ARIZONA

Streamflow Forecasts - January 1, 2004

	<=== Dr	ier ===	Future Co	nditions	=== Wett	er ===>	
	I					ı	
Forecast Pt	======	====== C	hance of E	xceeding	* ======		
Forecast	90%	70%	50% (Mos	t Prob)	30%	10% I	30 Yr Avq
Period	(1000AF)	(1000AF)	(1000AF)	(% AVG.)	(1000AF)	(1000AF)	(1000AF)
=========							========
Virgin River	at Little	field					
APR-JUL	31	52	67	91	82	103	74
		_					
Lake Powell :	inflow						
APR-JUL	3570	5690	7100	90	8510	10580	7930
			. = • •	3.0			

^{* 90%, 70%, 30%,} and 10% chances of exceeding are the probabilities that the actual volume will exceed the volumes in the table.

._____

The average is computed for the 1971-2000 base period.

- (1) The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) The value is natural volume actual volume may be affected by upstream water management.

NORTHWESTERN ARIZONA

Reservoir Storage (1000AF) End of December

Usable Capacity	******** This Year	Usable Storage Last Year	******* Average
619.0	516.2	546.7	556.4
1810.0	1590.3	1678.8	1596.6
26159.0	15300.0	16718.0	21775.0
24322.0	11487.0	13774.0	18933.0
	Capacity 619.0 1810.0 26159.0	Capacity This Year 619.0 516.2 1810.0 1590.3 26159.0 15300.0	Capacity This Year Last Year 619.0 516.2 546.7 1810.0 1590.3 1678.8 26159.0 15300.0 16718.0

NORTHWESTERN ARIZONA

Watershed	Number of	This Year as F	Percent of
	Data Sites	Last Year	Average
GRAND CANYON	2	42	24

SNOW SURVEY DATA

JANUARY 1, 2004

SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 71-00
ARIZONA						
ARBABS FOREST (AK)	7680	12/30/03	4	. 8	1.0	1.2
BAKER BUTTE SNOTEL	7330	1/01/04		.3	2.1	2.3
BAKER BUTTE #2	7700	12/30/03	4	1.2	3.2	4.3
BALDY SNOTEL	9220	1/01/04		1.5	3.6	3.5
BEAVER HEAD	8000	12/30/03	1	. 4	2.3	1.6
BEAVER SPRING	9220	12/30/03	13	2.6	3.0	3.9
BRIGHT ANGEL	8400	12/30/03	7	1.3	3.1	3.9
CHALENDER	7100	12/30/03	2	.3	.7	1.3
CHEESE SPRINGS	8600	1/06/04	6	1.0	2.8	2.5
CORONADO TRL SNOTEL		1/01/04		. 7	1.8	1.8
CORONADO TRAIL	8350	12/30/03	1	. 3	1.6	1.6
FLUTED ROCK	7800	12/30/03	5	1.0	1.0	1.4
FORT APACHE	9160	1/06/04	8	1.1	3.4	3.8
FORT VALLEY	7350	12/30/03	2	. 4	1.6	1.2
FRY SNOTEL	7220	1/01/04		1.4	2.2	2.8
GRAND CANYON	7500	12/30/03	0	. 0		1.6
HANNAGAN MDWS SNOTE	L 9020	1/01/04		2.1	3.8	5.5
HAPPY JACK	7630	1/02/04	2	. 6	. 9	2.0
HEBER SNOTEL	7640	1/01/04		1.2	2.2	2.3
LAKE MARY	6930	12/30/03	1	. 3	2.6	1.5
MAVERICK FORK SNOTE	L 9200	1/01/04		1.3	3.8	4.2
MORMON MTN SNOTEL	7500	1/01/04		. 8	1.7	2.4
MORMON MT. SUMMIT #		12/30/03	6	2.1	2.9	1.1
NEWMAN PARK	6750	12/30/03	1	. 3	2.2	. 9
NUTRIOSO	8500	12/30/03	1	. 3	1.3	1.0
PROMONTORY SNOTEL	7900	1/01/04		2.0	3.9	4.6
SNOW BOWL #1 ALT.	10260	1/02/04	8	1.4	2.0	5.7
SNOW BOWL #2	11000	1/02/04	15	2.6	6.6	9.0
TSAILE CANYON #1	8160	12/29/03	9	1.8	2.3	2.6
TSAILE CANYON #3	8920	12/30/03	16	1.3	4.3	3.6
WHITE HORSE SNOTEL	7180	1/01/04		. 4	1.2	2.0
WILDCAT SNOTEL	7850	1/01/04		1.2	1.8	1.7
WILLIAMS SKI RUN	7720	12/30/03	7	1.8	. 7	3.5
WORKMAN CREEK SNOTE	L 6900	1/01/04		1.5	2.9	2.9

Issued by

Bruce I. Knight
Chief
Natural Resources Conservation Service
U.S. Department of Agriculture

Released by

Michael Somerville State Conservationist Natural Resources Conservation Service Phoenix, Arizona

Arizona Basin Outlook Report

C/O Larry Martinez

Natural Resources Conservation Service
Phoenix, AZ
(602) 280-8841